

PATENTSCOPE

<https://www.wipo.int/patentscope/en/>

Martina Machátová

Poslední aktualizace: 30. ledna 2026

Charakteristika

- Databáze zachycuje asi 126 milionů patentových dokumentů, z toho tvoří asi 5,3 mil. záznamů přihlášky PCT. Báze také obsahuje některé národní a regionální patentové dokumenty.
- Databázi buduje Světová organizace duševního vlastnictví (WIPO – World Intellectual Property Office).
- PATENTSCOPE v porovnání s databází Espacenet
 - zachycuje méně patentových dokumentů,
 - jednodušší volba polí v tabulce při volbě Combination search.

WIPO

<https://www.wipo.int>

The image shows a browser window displaying the WIPO website. The address bar shows the URL [wipo.int/ipstats/en/](https://www.wipo.int/ipstats/en/). The main navigation bar includes the WIPO logo, a language selector set to 'English', a search icon, and an 'IP Portal login' button. Below the navigation bar, a menu is open for 'Find & Explore', which is highlighted with a red box. This menu lists various categories of intellectual property information, each with a sub-item. The 'PATENTSCOPE' sub-item under 'Patent & Technology Information' is also highlighted with a red box.

Patent & Technology Information	Trademark Information	Industrial Design Information	Geographical Indication Information
PATENTSCOPE	Global Brand Database	Global Design Database	Lisbon Express Database
Patent Analytics	Madrid Monitor	International Designs Bulletin	Global Brand Database for GIs
International Patent Classification	Article 6ter Express Database	Hague Express Database	
ARDI – Research for Innovation	Nice Classification	Locarno Classification	
ASPI – Specialized Patent Information	Vienna Classification		
Plant Variety Information (UPOV)	IP Laws, Treaties & Judgements	IP Resources	IP Reports
PLUTO Plant Variety Database	WIPO-Administered Treaties	WIPO Standards	WIPO Technology Trends
GENIE Database	WIPO Lex - IP Laws, Treaties & Judgments	IP Statistics	Global Innovation Index
		WIPO Pearl (Terminology)	World Intellectual Property Report
		WIPO Publications	
		Country IP Profiles	

Přístup

<https://www.wipo.int/patentscope/en/>

Understand & Learn ▾ Find & Explore ▾ Protect & Manage ▾ Partner & Collaborate ▾ About WIPO ▾

Home > PATENTSCOPE

PATENTSCOPE

The [PATENTSCOPE database](#) provides access to:

- published International [PCT](#) applications in full-text on the day of publication
- patent documents from [participating national and regional offices](#)
- [non-patent literature](#)

For your patent searches, you can use a variety of search criterias such as keywords, IPC, chemical compounds, numbers and many more in different languages. Find out more by:

- watching the short [tips & tricks videos](#)
- attending free of charge [webinars](#)
- doing practical exercises [online](#) and/or in the [2023 booklet](#) (check the hints [\[PDF\]](#) and answers [\[PDF\]](#)) and/or in the [2022 booklet](#) (check the [answers](#))
- reading the [User's Guide](#)
- chemical searches by experts: [chemical searches](#) - [Markush searches](#)

[Access PATENTSCOPE](#)

Video: What is PATENTSCOPE and why use it?

Zobrazit plochu

Nastavení

WIPO

Help English IP Portal login

Home > PATENTSCOPE > Search

Chat Feedback Search Browse Tools Settings

Settings

Reset Close

Query Office Result Download Interface

Query Language
Default

Stemming Single Family Member Include NPL

Sort by: Relevance

List Length

- 10
- 10
- 50
- 100
- 200

Result List View
All

PATENTSCOPE Simple Search

Using PATENTSCOPE you can search 115 million patent documents including 4.8 million published international patent applications (PCT). [Detailed coverage information](#)

Vyhledávací možnosti

Lze používat:

- logické a proximitní operátory,
- náhrady znaků:
 - * neomezené množství,
 - ? 1 znak,
- oboustranné horní uvozovky pro frázi.

Jednoduché vyhledávání

<https://patentscope.wipo.int/search/en/search.jsf>

The screenshot displays the WIPO PATENTSCOPE Simple Search interface. At the top, the WIPO logo and navigation links (Help, English, IP Portal login) are visible. The breadcrumb trail indicates the current location: Home > PATENTSCOPE > Search. A secondary navigation bar includes links for Feedback, Search, Browse, Tools, and Settings.

The main heading is "PATENTSCOPE Simple Search". Below it, a text box provides information about the search capabilities: "Using PATENTSCOPE you can search 126.0 million patent documents including 5.3 million published international patent applications (PCT). [Detailed coverage information](#) PCT publication 04/2026 (January 22, 2026) is now available [here](#). The next PCT publication 05/2026 is scheduled for Thursday, January 29, 2026. [More](#) Check out the [latest PATENTSCOPE news and features](#) PATENTSCOPE Live Chat : every Monday from 13:00 to 17:00 (CET)".

The search interface features a dropdown menu for selecting the search field. The dropdown is currently open, showing options: Front Page (selected), Any Field, Full Text, Claims, All Numbers and IDs, All Classifications, All Names, and Publication Date. The search terms entered are "hand-free umbrella*". A red box highlights the "Query Examples" button located to the right of the search bar.

Výsledky

Nastavení zobrazení

Plánované akce v MZK - Tabulky x (5641) Roundcube Webmail - Pli x PATENTSCOPE x WIPO - Search International and x +

patentscope.wipo.int/search/en/result.jsf?_vid=P20-LOGKKZ-07751

Feedback Search Browse Tools Settings

FP:(hands-free umbrella*)

167 results Offices all Languages en Stemming true Single Family Member false Include NPL false

Sort: Relevance Per page: 200 View: All

10

100

1. [20190307254](#) APPARATUS AND DEVICES FOR RESPONSIVE **UMBRELLA** WITH **HANDS-FREE** MECHANISM US - 10.10.2019
Int.Class [A45B 11/02](#) Appl.No 16450960 Applicant Deborah Scrone-Smith Inventor Deborah Scrone-Smith
The present disclosure relates to a responsive **umbrella** with a **hands-free** mechanism that allows a user to operate and hold the responsive **umbrella** without requiring the use of their **hands**. The **hands-free** mechanism may be a wearable strap or harness. A responsive **umbrella** may be adjustable for the angle of extension from the **hands-free** mechanism, which may allow a user to adapt the responsive **umbrella** for different ambient conditions.

2. [1020060023053](#) FLEXIBLE ARM TYPE OF **HANDS-FREE UMBRELLA** ATTACHMENT CAPABLE OF FIXING A GRIPPER KR - 13.03.2006
OF THE **UMBRELLA** ON SHOULDER OF A USER
Int.Class [A45B 11/02](#) Appl.No 1020040071877 Applicant DR. DARYN PETERSON Inventor DR. DARYN PETERSON
PURPOSE: A flexible arm type of **hands-free umbrella** attachment is provided to fix a gripper of an **umbrella** on the shoulder of a user and enable **free** use of both of **hands** by winding a gripper attachment having a sponge cover in an elongated flexible arm form around the shoulder of the user.
CONSTITUTION: The flexible arm type of **hands-free umbrella** attachment has a flexible arm(2) fixed in a screw hole(3) of a sponge cover(1), a pipe to receive the screw hole(3) and the sponge cover(1) wound around either of shoulders of a user. The flexible arm(2) is wound and attached to the shoulder to stably fix an **umbrella** without using **hands**. The flexible arm has a role of gripper of the **umbrella** and supports weight of the **umbrella**.

Výsledky

Zobrazování záznamů vedle seznamu

WIPO - Search International an... x +

patentscope.wipo.int/search/en/result.jsf?_vid=P10-MC1YFF-32383

Nastavte si Google Chrome jako výchozí prohlížeč a připněte ho na hlavní panel **Nastavit jako výchozí**

IP Portal

WIPO Help English IP Portal login

Home > PATENTSCOPE > Search

Feedback Search Browse Tools Settings

EN_Tl:(catheter*) AND IADC:(CZ)

6 results Offices all Languages en Stemming true Single Family Member false Include NPL false

Relevance 200 All Machine translation

1/1

3. **WO/2018/041901 CATHETER TUBE** WO - 08.03.2018
Int.Class [A61M 25/01](#) Appl.No PCT/EP2017/071781 Applicant RIOCATH MEDICAL DEVICES, A.S. Inventor POKORNY, Vit
The present invention relates to a catheter, which comprises a catheter tube everting inside-out during the process of catheterization. A catheter tube comprises a plurality of longitudinal protrusions extending from the first end of the catheter tube through at least a portion of the catheter tube, and forming an angle of 0 degrees to 45 degrees with respect to the longitudinal axis of the catheter tube and facing radially

4. **WO/2018/041903 CATHETER TUBE** WO - 08.03.2018
Int.Class [A61M 25/01](#) Appl.No PCT/EP2017/071784 Applicant RIOCATH MEDICAL DEVICES, A.S. Inventor POKORNY, Vit
The present invention relates to a catheter, which comprises a catheter tube everting inside-out during the process of catheterization. A catheter tube comprises a plurality of longitudinal protrusions extending from the first end of the catheter tube through at least a portion of the catheter tube, and forming an angle of 0 degrees to 45 degrees with respect to the longitudinal axis of the catheter tube and facing radially

5. **WO/2024/120556 KIT FOR DILATATION OF CHANNELS FOR INSERTING DRAINS AND CATHETERS INTO BODY CAVITIES AND ORGANS** WO - 13.06.2024
Int.Class [A61B 17/34](#) Appl.No PCT/CZ2023/050086 Applicant FAKULTNI NEMOCNICE HRADEC KRALOVE Inventor SOBOTKA, Lubos
The present invention relates to a kit for dilatation of channels for inserting drains or cannulas and surgical instruments into body cavities and organs, comprising at least two slotted channel dilators [1] having mutually different outer diameters, and a fixation device [6] for adjusting the set depth of the dilated channel, wherein the channel dilator [6] has a shape of a tube, wherein the outer diameter of the dilator tube is in the

4. **WO2018041903 - CATHETER TUBE**

PCT Biblio. Data Description Claims Drawings ISR/WOSA/A17[2][a] National Phase Patent Family Notices

Documents

PermaLink Machine translation

Publication Number
WO/2018/041903

Publication Date
08.03.2018

International Application No.
PCT/EP2017/071784

International Filing Date
30.08.2017

IPC
[A61M 25/01 2006.1](#)

CPC
[A61F 2/962](#) [A61F 2/966](#) [A61F 2002/821](#)

Title
[EN] **CATHETER TUBE**
[FR] TUBE DE CATHETER

Abstract
[EN] The present invention relates to a catheter, which comprises a catheter tube everting inside-out during the process of catheterization. A catheter tube comprises a plurality of longitudinal protrusions extending from the first end of the catheter tube through at least a portion of the catheter tube and forming an angle of 0 degrees to 45 degrees with respect to the longitudinal axis of the catheter tube and facing radially inwards, and means for dilating a circumference of the catheter tube upon everting the catheter tube inside-out from the first end of the catheter tube. The longitudinal protrusions ensure the axial reinforcement of the catheter tube, which prevents the tube from collapsing and bending under the axial force and the resistance of the fold and of the friction between the everted portion and the corresponding underlying portion of the tube. The dilating means dilate the circumference of the catheter tube in the everted region, thus reducing the resistance of the fold and of the friction between the everted portion and the

Záznam

Moravská zemská knihovna v Brně PATENTSCOPE US10912356 Hands free umbrella

patentscope.wipo.int/search/en/detail.jsf?docId=US317379496&cid=P22-LOGP50-79773-1

Aplikace Vlastní odkazy Importováno z apli... MZK Moravská zemská k... Roundcube Webmail AUT - Základní vyhl... Google Espacenet Národní knihovna Č... https://docs.google... Kalendář MZK www.lrpv.gov.lv/sit... Ostatní záložky Seznam četby

5. US10912356 - HANDS FREE UMBRELLA APPARATUS

National Biblio. Data Description Claims Drawings Documents

Office
United States of America

Application Number
16720239

Application Date
19.12.2019

Publication Number
10912356

Publication Date
09.02.2021

Grant Number
10912356


Grant Date
09.02.2021

Publication Kind
B1

IPC
A45B 11/02 A45C 13/40

CPC
A45C 13/40 A45B 11/02

Title
[EN] Hands free umbrella apparatus



Abstract
[EN]

A hands-free umbrella holder is disclosed herein. The hands-free umbrella holder includes a back covering having adjustable shoulder straps, shoulder covering, and an umbrella holding sleeve on the back covering. The umbrella holder includes a vest assembly having a shoulder portion extending substantially along a user's shoulders and towards their stomach area. The vest includes side openings providing the user ample room to move their arms. Additionally, the vest includes a back portion having a holding assembly mounted thereon. The holder assembly is a tube member that is attached to the vest through means of brackets and screws. An umbrella is then placed within the tube providing the user with shielding from the sun and other weather conditions while having full use of their hands.

PermaLink

Machine translation

WIPO Translate

- English
- French
- German
- Spanish
- Russian
- Korean
- Japanese
- Chinese
- Arabic
- Portuguese
- Italian
- Finnish



Strojový překlad

1. CN111920159 - SUN-RAIN UMBRELLA WITH HAND-FREE DEVICE

National Biblio. Data Description **Claims** Drawings Documents

Permalink

Note: Text based on automatic Optical Character Recognition processes. Please use the PDF version for legal matters

[ZH]

权利要求书

1.一种带有免手持装置的晴雨伞, 包括雨伞、底端部带有磁铁的雨伞, 免持套环装置A、免持套环装置B和免持套环装置C,其特征于:

所述底端部带有磁铁的雨伞中: 雨伞的伞杆底端是外螺纹, 雨伞的磁铁设置内螺纹, 磁铁的内螺纹与伞杆底端外螺纹相连接;

所述免持套环装置A包括: 套环组件、伸缩杆和固定杆, 其中, 伸缩杆安装在套环组件的底端, 固定杆安装在套环组件的顶端。

Arabic
Chinese
Czech
Dutch
English
Finnish
French
German
Italian
Japanese
Korean
Polish
Portuguese
Russian

Výsledky Zpřesnění a analýzy

Plánované akce v MZK - Tabulky x (5641) Roundcube Webmail : Pří: x PATENTSCOPE x WIPO - Search International and x +

patentscope.wipo.int/search/en/result.jsf?_vid=P20-LOGKKZ-07751

Feedback Search Browse Tools Settings

FP:(hands-free umbrella*)

 167 results Offices all Languages en Stemming true Single Family Member false Include NPL false

Sort: Relevance Per page: 200 View: All 1/1 Machine translation

- 20190307254** APPARATUS AND DEVICES FOR RESPONSIVE **UMBRELLA** WITH **HANDS-FREE** MECHANISM US - 10.10.2019
Int.Class **A45B 11/02** Appl.No 16450960 Applicant Deborah Scrone-Smith Inventor Deborah Scrone-Smith
The present disclosure relates to a responsive **umbrella** with a **hands-free** mechanism that allows a user to operate and hold the responsive **umbrella** without requiring the use of their **hands**. The **hands-free** mechanism may be a wearable strap or harness. A responsive **umbrella** may be adjustable for the angle of extension from the **hands-free** mechanism, which may allow a user to adapt the responsive **umbrella** for different ambient conditions.
- 1020060023053** FLEXIBLE ARM TYPE OF **HANDS-FREE UMBRELLA** ATTACHMENT CAPABLE OF FIXING A GRIPPER OF THE **UMBRELLA** ON SHOULDER OF A USER KR - 13.03.2006
Int.Class A45B 11/02 Appl.No 1020040071877 Applicant DR. DARYN PETERSON Inventor DR. DARYN PETERSON
PURPOSE: A flexible arm type of **hands-free umbrella** attachment is provided to fix a gripper of an **umbrella** on the shoulder of a user and enable **free** use of both of **hands** by winding a gripper attachment having a sponge cover in an elongated flexible arm form around the shoulder of the user.
CONSTITUTION: The flexible arm type of **hands-free umbrella** attachment has a flexible arm(2) fixed in a screw hole(3) of a sponge cover(1), a pipe to receive the screw hole(3) and the sponge cover(1) wound around either of shoulders of a user. The flexible arm(2) is wound and attached to the shoulder to stably fix an **umbrella** without using **hands**. The flexible arm has a role of gripper of the **umbrella** and supports weight of the **umbrella**.

↑

Výsledky

Filtry/zpřesnění dotazu a výsledků

Plánované akce v MZK - Tabulky x (5641) Roundcube Webmail : P... x PATENTSCOPE x WIPO - Search International and x +

patentscope.wipo.int/search/en/result.jsf?_vid=P20-LOGKKZ-07751

FP:(hands-free umbrella*)

67 results Offices all Languages en Stemming true Single Family Member false Include NPL false

ANALYSIS

Filters Charts

Countries	Applicants	Inventors	IPC code	Publication Dates
United States of America	45	KOSUGE KATSUHIRO 4	D'AMICO, VELLA 2	A45B 130 2013 12
China	38	ANDRADE BERTHA R 2	DEBORAH SCRONE-SMITH 2	A45F 29 2014 4
Japan	23	BODEN BONNIE 2	HE ZHENGLIN 2	A45C 17 2015 7
Republic of Korea	16	D'AMICO VELLA 2	KATO TADAHIKO 2	B60R 7 2016 3
United Kingdom	10	DEBORAH SCRONE SMITH 2	KOSUGE KATSUHIRO 2	A47G 6 2017 12
PCT	8	HE ZHENGLIN 2	KOSUGE, KATSUHIRO 2	A42B 4 2018 11
Australia	5	JANG KEUM HWAN 2	PRESTON VERRET 2	A41D 3 2019 11
Germany	4	KATO TADAHIKO 2	SONG AH BIN 2	A47C 3 2020 13
India	4	LAZO ANTUNEZ RAYNEL 2	ALBERTO HERREJON 1	B62B 3 2021 11
			A61G 2	2022 2

Analýza výsledků

Nastavení počtu výsledků k analýze

WIPO IP PORTAL MENU PATENTSCOPE Covid-19 UpdateX HELP MARTINA MACHATOVA WIPO

Feedback Search Browse Tools **Settings**

SETTINGS

Reset Close Save

Query Office **Result** Download Interface Others

Result List Language
Default

Analysis tab open

Analysis type
Table

Analysis graph
bar

No of Items/Group
25

Group by *
 Countries
 Offices
 Applicants
 Inventors
 IPC code
 CPC code
 Publication Dates
 Filing Dates
 Kind code


Automaticky se analyzuje pouze 10 výsledků. V nastavení (settings) lze navýšit počet výsledků na 25 (maximum).

FP:(beverage* AND (umbrella* OR shading))

170 results Offices all Languages en Stemming true Single Family Member false Include NPL false

Analýza výsledků

Sloupcové grafy



Analýza výsledků

Koláčové grafy

167 results Offices all Languages en Stemming true Single Family Member false Include NPL false

ANALYSIS

Filter **Charts**

Charts Countries Applicants Inventors IPC code Publication Dates

IPC Code	Color
A45B	Light Blue
A45F	Orange
A45C	Light Green
B60R	Dark Green
A47G	Light Blue-Green
A42B	Dark Green
A41D	Purple
A47C	Blue
B62B	Yellow
A61G	Red

Kombinace polí

WIPO IP PORTAL MENU PATENTSCOPE Covid-19 Update HELP ENGLISH LOGIN WIPO

Feedback Search Browse Tools Settings

FIELD COMBINATION

	Field	Value	
Operator AND	Field Front Page	Value	
Operator AND	Field WIPO Publication Number	Value	
Operator AND	Field English Abstract	Value shading beverage*	
Operator AND	Field Publication Date	Value	
Operator AND	Field English Title	Value	
Operator AND	Field Abstract	Is Empty: N/A	
Operator AND	Field Licensing availability	<input type="checkbox"/>	

Simple
Advanced Search
Field Combination
Cross Lingual Expansion
Chemical compounds (login required)

Možnost kombinace polí a operátorů

+ Add another search field - Reset search fields

Offices
All

https://patentscope.wipo.int/search/en/structuredSearch.jsf#

Kombinace polí

Výběr pole

WIPO - Search International an... x +

patentscope.wipo.int/search/en/structuredSearch.jsf

Nastavte si Google Chrome jako výchozí prohlížeč a připněte ho na hlavní panel **Nastavit jako výchozí**

Feedback Search Browse Tools Settings

PATENTSCOPE Field Combination

Operator	Field	Value	
	Front Page	Value	?
AND	International Class	A61M25/01	?
AND	Applicant Name	RIOCATH	?
AND	All Classifications	Value	?
AND	All Names	Value	?
AND	All Numbers and IDs	Value	?
AND	Applicant Address	Value	?
AND	Applicant Address Country	Value	?
AND	Applicant All Data	Value	?
AND	Applicant Name	Is Empty:	?
AND	Applicant Nationality	N/A	?
AND	Applicant Residence		?
AND	Application Date		?
AND	Application Number		?
	Arabic Abstract		?
	Arabic All		?
	Arabic Claims		?
	Arabic Description		?
	Arabic Text		?
	Arabic Title		?
	Author		?
	Bulgarian Abstract		?
	Bulgarian All		?

+ Add another search field - Reset search fields

Offices
All

Languages
English

Kombinace polí

Výběr operátoru

The screenshot shows the WIPO Patentscope search interface. The main heading is "PATENTSCOPE Field Combination". Below it is a table with columns for "Operator", "Field", and "Value". A red box highlights the operator selection dropdown for the "Applicant Nationality" field, showing "AND" and "OR" options.

Operator	Field	Value
	Front Page	Value
AND	WIPO Publication Number	Value
AND	Application Number	Value
AND	Applicant Nationality	Value CZ
OR	English Title	Value catheter*
AND	All Classifications	Is Empty: N/A
AND	Licensing availability	<input type="checkbox"/>

Buttons: + Add another search field, - Reset search fields

Offices: All

Languages

Stahování záznamů

Nutná registrace a přihlášení.

WIPO IP PORTAL MENU PATENTSCOPE Covid-19 Update X HELP MARTINA MACHATOVA WIPO

Feedback Search Browse Tools Settings

Po bezplatné registraci a přihlášení lze stahovat nalezené záznamy. Není možné provést výběr záznamů k downloadu.

FP:(beverage* AND (umbrella* OR shading))

170 results Offices all Languages en Stemming true Single Family Member false Include NPL false

Sort: Relevance Per page: 200 View: All

Download Machine translation

100 results

10,000 results

1. **1998129741** LIGHT-SHADING PAPER CUP JP - 19.05.1998

Int.Class B65D 81/30 Appl.No 1996288486 Applicant TOPPAN PRINTING CO LTD Inventor YAN, KU

PROBLEM TO BE SOLVED: To provide a light-shading cup of paper which appears nice, is hygienic, and keeps the commercial value unimpaired, relating to a type which does not contain a layer of metal and enables applying a metal detector for the quality control of the contents, particularly concerning foods or beverages, by making inconspicuous the black polyethylene-forced out on the ends of the barrel, being a splice in the internal surface of the cup, or on the end of the bent bottom.

SOLUTION: The light-shading layer 10 of a light-shading paper cup 1 consists of colored polyethylene. In a conventional light-shading paper cup black polyethylene 10a as a light-shading layer 10 is forced out on the ends 30 of the barrel, etc., so conspicuously that it gives an unhygienic feeling to the consumer. This invention improves on this polyethylene, making the color inconspicuous and felt with cleanliness and yet without impairment of the light-shading property.

COPYRIGHT: (C)1998,JPO



Stažené záznamy

resultList [režim kompatibility] - Excel

Soubor Domů Vložení Rozložení stránky Vzorce Data Revize Zobrazení Rekněte mi, co chcete udělat... Přihlásit se Sdílet

Vymout Kopírovat Kopírovat formát Schránka Písmo Zarovnáni Číslo Podmíněné formátování jako tabulku Normální Neutrální Správně Špatně Kontrolní bu... Poznámka Propojená bu... Text upozor...

A1

Application Id	Application Number	Application Date	Country	Title	IPC	Image
US254124219	16450960	24.06.2019	US	Apparatus and devices for responsive umbrella with hands-free mechanism	A45B 11/02; A47C 7/66; A45B 17/00; A45B 11/00; A47C 1/12; A45B 3/00; A45B 23/00	
KR814648	1020040071877	08.09.2004	KR	FLEXIBLE ARM TYPE OF HANDS-FREE UMBRELLA ATTACHMENT CAPABLE OF FIXING A GRIPPER OF THE UMBRELLA ON SHOULDER OF A USER	A45B 11/02	
US316413631	17066070	08.10.2020	US	Apparatus And Devices for Responsive Umbrella with Hands-Free Mechanism	A47C 7/66; A45B 17/00; A45B 11/00; A47C 1/12; A45B 3/00; A45B 11/02	

ResultSet

Připraven

Pokročilé vyhledávání

EN AB:(hand free umbrella) AND IC:(A45B3/00 OR A45B11/02)

Query Assistant Query Examples

Expand with related terms

Offices
All

Languages
English

Stemming

Single Family Member

Include NPL

Reset Search

V pokročilé vyhledávací masce lze kombinovat kódy polí a operátory.

V tomto případě zadáváme dotaz v poli abstrakt v angličtině a patentové třídění.

Krátká instruktážní videa v angličtině

<https://patentscope.wipo.int/search/en/help/tutorial.jsf>

Kontakt

Martina Machátová

Moravská zemská knihovna v Brně

Tel.: 541 646 170

E-mail: Martina.Machatova@mzk.cz