

Státní úřad duševního vlastnictví Číny



Ing. Jarmila Avratová

Brno 2017






http://english.sipo.gov.cn










Najdeme zde:

- Týdenní aktualizace
- Patenty, užitné vzory a designy od 1985
- Po registraci i vyhledávání plných dokumentů, citace, patentové rodiny, právní stavy
- Překladač





Welcome:javratova Login Time:2016-11-29 21	:34:26 Logout)6))	Change Passwor	d Account Setting
Patent Search	and Analysi	s of SIPO	- No. 18	Maralle	A lan	A Section of the sect
Homepage Patent Search Tor	Favorites	Analysis Datab	ase Rapid	Sepc	Advanced	Log & Report
Current Location : Patent Searci > Structured	rch > (N patent documen	2	Application Date Publication Date		<u></u>	
Invention Title			IPC Classification No.			?
Applicant/Assignee			Inventor			
Priority No.		2	Priority Date		= 🗸	
Abstract	"mouse trap"		Claims			
Descriptions			Keywords			
Appearance Design Locarno Classification No.			Brief Description of Appe	earance Design		
Country of the applicant / assignee			Address of the Applicant			
Zip Code of the Applicant			Agent			
Agency						
	Generate			Clear	Se	arch
Filter Documents DocumentsType : Laid-Open	Publication	☐ Granted Publi	ication			
InventionsType : Invention	[1]	Utility Model	[U]		Design [D]	




Change Password Account Setting Welcome:javratova Login Time:2017-05-22 20:02:25 Logout Patent Search and Analysis of SIPO Homepage Patent Search Tools **Favorites** Analysis Database Rapid Sepc Advanced Log & Report Medicine Search > Advanced Search Current Location: Patent Search > Similar Efficacy Therapeutic Effect Interaction Effect Side Effect Formulation Number Diagnostic Effect Formulation Composition CN Registry No. hyaluronic acid CAS Registry No. Chemical Role Compound English name Compound Chinese name Applicant Address Country Name Country Code




2;A61P019/10;A61K039/00

Total 1 Page 3Counts AD 2006.11.16 AN CN200680051196 🏉 http://www.**pss-system.gov.cn**/sipopublicsearch/insearch/executeMedicineSearch-queryInformation.shtml?params=81635D63261EDCD2FD4 Application No.: CN200680051196 n-3二十二碳五烯酸(DPAn3, DPA, 7, 10, 13, 16, 19-二十二碳五烯酸)的新的医药用途。DPA可改善 Application Date: 2006.11.16 整性、改善屏障功能、促进肠道成熟和/或降低肠屏障渗透性,治疗和/或预防肠屏障完整性受损的疾病 IL-4浓度上升的疾病(例如变应性疾病)遗传过敏性皮炎、慢性炎症疾病(尤其是炎症性肠病(IBD)、肠易激 Applicant: 纽崔西亚公司 (IBS)、乳糜泻、胰腺炎、肝炎、关节炎或糖尿病),还可以用于为已经经受或正在经受腹部手术的患者和后肠道功能障碍的患者和/或营养不良的患者提供营养;还可用于治疗AIDS和/或HIV感染、腹泻(尤其是 Inventor: L.E.M.威廉森; E.A.F.范托尔; C.贝尔曼 泻)、预防尿布疹、治疗或预防变态反应和/或变应性反应、食物过敏、遗传过敏性皮炎、哮喘、脓毒症、 Publication No.: CN101360490A 小肠结肠炎等。DPA还可以与不易消化的寡糖(如半乳糖寡糖等)组合,还可加入蛋白质、碳水化合物、原 质制成婴儿配制食品。 Publication Date: 2009.02.04 Priority: 2005.11.17 NL PCT/NL2005/050044 IPC Main Classification No.: A61K031/202 IPC Secondary Classification No.: A61P001/00;A61P037/08;A61P031/18;A61P017/00;A61P001/16; A61P011/06;A61P001/18;A61P031/04;A61P031/00;A61P003/02;A61P019/02;A61P095/10;A61P029/00 Medicinal Area Classification No.: 01;05;06;09;11;12;16;18;20;31;34;35 Invention Title: 具有二十二碳五烯酸的组合物/n-3二十二碳五烯酸(DPAn3, DPA)用于改善肠屏障完整性、治疗和 预防炎症性肠病、乳糜泻等疾病的新用途 Applicant Address:荷兰祖特梅尔 善肠屏障完整性、改善屏障功能、促进肠道成熟和/或降低肠屏障渗透性,治疗和/或预防肠屏障完整性受损的疾 病,以及... View AD 2003.04.02 AN CN03116133 Application No.: CN03116133 Application Date: 2003.04.02 Applicant:李安虎;许庆仁 Inventor:李安虎;许庆仁 Publication No.: CN1439313A Publication Date: 2003.09.03 IPC Main Classification No.: A23L002/38 IPC Secondary Classification No.: A23L001/30;A61K031/07;A61K031/375;A61K031/355;A61K033/00;A61P019/0



























Najdeme zde

- Patenty a užitné vzory od 1985
- Abstrakta v angličtině
- Bibliografická data pro užitné vzory
- Překladač do angličtiny
- Update měsíčně










15

Next Page

200810061201

Last Page

1 / 43



Inventor(s) Name

Abstract

Patent Agency Code

placed in a pressing device and are compressed.

Schmidt Marc

The invention relates to a method for compacting aerogel particles, according to which said aerogel particles are

Patent Agent

11038

m

M

GO

wuyi hua

Close

Machine Translation





PMT Introduction: According to the rapid development of Chinese patent cause, Chinese patent documentation plays a more and more important ole in the world's intellectual property field. China Patent Information Center, which is a large national patent information services, has ade a breakthrough in machine translation of Chinese patent documents-the user-friendly, fast, stable online Chinese-English machine ranslation system, so that we can provide users automatic machine translation services through the Internet in the international patent ocuments exchange and cooperation. CPMT researched and developed by China Patent Information Center. If you need accurate human translation, lease Contact Us.

pplication: 200610004897

- 1. The method of suppression aerogel particle, wherein, add the aerogel particle and be the granule with its compression moulding in the compression moulding device.
- 2. The method according to claim 1, characterized in, adds admixture, filler and/or adhesive in the aerogel particle.
- 3, The method according to claim 2, characterized in that these components are graininesss or fibrous.
 - 4, The method according to claim 2, characterized in that these components are liquid or

slurry.

- other materials outgas during and/or the compression mo
- 6, The method according to claim 5, character is smashed. the negative pressure.
- 7. The method according to claim 6, character gradation.
- 8, The method according to claim 7, character device at the granule under of hope granule scope.
- 9. The method according to claim 7, character is smashed.
 - 10, The method of claim 7-9, characterized i

- 8, The method according to claim 7, characterized in, will return the compression moulding 5, The method according to one of the preced device at the granule under of hope granule scope.
 - 9. The method according to claim 7, characterized in that the granule on of hope granule scope
 - 10, The method of claim 7-9, characterized in dry the granule before further processing.
 - 11, The method according to one of the preceding claims 权利要求, characterized in that the formpiston is with raw and other materials compression moulding in the bed die.
 - 12, The One of of claim 1 to 1, the method
 - 13. The method according to claim 12, characterized in, the bed die be bore porose, and at outlet side blanking punch article.
 - 14. The One of of claim 1 to 1, the method
 - 15, The method according to claim 14, characterized in that at least one roller bores porose hollow roller, and at outlet side blanking punch article.

page 1 of 2 (2 items) Translation By Page Translate Again Description Plain Text Translation Text Translation





CPMT Introduction: According to the rapid development of Chinese patent cause, Chinese patent documentation plays a more and more important role in the world's intellectual property field. China Patent Information Center, which is a large national patent information services, has made a breakthrough in machine translation of Chinese patent documents—the user—friendly, fast, stable online Chinese—English machine translation system, so that we can provide users automatic machine translation services through the Internet in the international patent documents exchange and cooperation. CPMT researched and developed by China Patent Information Center. If you need accurate human translation, please Contact Us.

Application: 200610004897

First Prev Next Last

The method of suppression aerogel

GO

The present invention relates to a method of suppressing the aerogel .

Aerogel, especially porosity are higher than the aerogel that 0 % of four to six-tenehs and density are less than 0.6 gram / cubic centimetre, have the capacity of heat transmission low very much, and consequently can regard as the heat-insulating material to use, and the catalyst can also be regarded as or as the catalyst carrier and as the adsorbing matter use to the same as description in EP-A-0171722. In addition because they have a very low refracting index to the solid matter, known they can be used for the Cerenkov detector. Because their specific acoustic impedances, for example described in the open document as the Thyristor Controlled Series Compensation (TCSC) device in the supersound field in addition.

They also can be in pharmacology and agricultural as the carrier of active material.


In a broad sense, in the meaning of "regarding as the gel of decentralized medium with the air "promptly, the aerogel is through the gel preparation that the drying is suitable. In this meaning, term "aerogel "is including the aerogel of narrow sense, xerogel and epoxy resin (K ryogel). Here, the liquid in the gel is when exceeding under the temperature of critical temperature and beginning basically by the desorption from the pressure that exceedes the critical pressure, and then arid gel is called the aerogel in the narrow sense. On the contrary if the liquid of gel under the undercritical conditions, for example accompanys the formation liquid-vapour interface to look at and appraise and detached, the gel that generates so is called as the xerogel usually.

The term aerogel that uses in the invention is sensu lato aerogel, " regards as the gel of





EPO



from Asia and Europe. Find out about

databases, meet the experts, share

the latest developments in Asian patent

> Gulf Cooperation Council

> India

Translation services or Asian patent information



We can translate as little or as much as you need - from titles, bibliographic data and claims to abstracts or whole documents. The language combinations we offer are:

- · Chinese to English or German
- Japanese to English or German
- Korean to English or German.

Order or request a quote

Our translation services give you access to a network of qualified translators specialising in various technical fields. Specifically, they offer high-quality human translations of patent and utility model documents.

These documents can be translated from Japanese, Korean or Chinese into English or German.

Upon request, we can provide you with translations of file wrapper information and other technical or legal documents.


By using our services to translate an Asian patent document you can

- gain a better understanding of its technical content
- ✓ save costs by ordering only the parts of the document that you need for example, claims
- request a certified version of the translation, if that is legally required.

Getting started	Conditions and prices	Translation time
Service	_	Price
Translation of all claims (1 to 4 pages of translated text)		EUR 155 flat fee
Translation of all claims or full	texts (more than 4 pages of translated text)	EUR 86 per translated page

Getting started	Conditions and prices	Translation time
Service	1	îme .
Translation of all claims	1 to 2 weeks	
Translation of the full text	2	to 3 weeks

Searching Asian documents: patent search and monitoring



The EPO offers professional prior art seard documents using original-language databa more, please contact us as the Intellectual Property Publishing Houngard Center (PIPC).

For Japanese searches, we can provide you with a cost estimate based on a free trial search. To find out more, please <u>contact us</u>.

→ Terms and conditions for the delivery and use of EPO information products

With our services you can:

- get an overview of potentially relevant Asian prior art
- access the most recently published Asian data
- have local technical experts translate your English search profile into Chinese, Korean or Japanese
- receive translations in your preferred format

Getting started	Conditions	Further information	Related services

Send us your existing English search profile or contact us to discuss your search parameters. We will provide a cost estimate and sample results from a free trial search.

You can then modify your profile before placing the final order. Results will be delivered within a few working days.


局领导信箱 | 调查问卷 | 在线访谈

图文直播 | 视频点播 | 教育培训 | 网上信访

局领导信箱

>> 更多





FAQ - China

If you cannot find your question here, please send it to us using the contact form.

For more specific legal questions relating to the Chinese patent system, please contact lnternational_legal_affairs@epo.org.

Questions

General information about patents in China

From filing to grant

- As a foreign applicant, do I need to appoint a professional representative in China?
- ☐ Can I claim priority for an application filed in China?
- What do I need to do to get an early filing date in China?
- ➤ Does China allow divisional applications?
- Are Chinese invention patents and utility model patents subject to substantive exam
- → How soon after filing an application in China do I need to file a request for examinat.
- ☐ Can I withdraw my application before it is published in China?
- □ Can I submit third-party observations on a Chinese patent application?


Facts and figures - China

Click on the text links to enlarge the graphs:

Evolution of patent applications in China (GIF, 30 KB)



Evolution of utility model applications in China (GIF, 27 KB)



P Evolution of granted patents in China (GIF, 28 KB)



<u>■ Evolution of utility model registrations in China</u> (GIF, 25 KB)

Numbering system - China

1. DOCUMENT TYPES AND KIND CODES INVENTION PATENTS:

Laid-open publications

GONGKAI (1985 to April 2010) - enlarge

公开

unexamined patent publication (A)

SHENQING GONGBU (from April 2010) - enlarge

申请公布

- publication of application (A)
- re-issue of front page of A document (A8)
- re-issue of complete A document (A9)

Examined/granted documents

SHENDING GONGGAO (1985 to 1993) - enlarge

审定公告

examined patent publication (B)

SHOUQUAN GONGGAO (1983 to April 2010) - enlarge

授权公告

granted patent publication (C)

SHOUQUAN GONGGAO (from April 2010) - enlarge

授权公告

- granted patent publication (B)
- re-issue of front page of B document (B8)
- re-issue of complete B document (B9)
- amended B document after partial invalidation (C1-C7)


Useful terms - China

The list below gives you the English transliteration and translation of some Chinese terms typically encountered in a patent information context.

Pronunciation

If you would like to see a bigger version of the Chinese characters, please click on "enlarge".

摘要	<u>enlarge</u>	zhāiyào
申请人	<u>enlarge</u>	shēnqĭngrén
申请号	enlarge	shēnqĭnghào
附图说明	enlarge	fùtú shuōr
权利要求书	<u>enlarge</u>	quánlì yāc
申请日	<u>enlarge</u>	shēnqĭngr
日	<u>enlarge</u>	rì
说明书	enlarge	shuōmíng
外观设计	<u>enlarge</u>	wàiguānsl
附图	<u>enlarge</u>	fùtú
实施例	<u>enlarge</u>	shíshīlì
审定公告	enlarge	shěndìngç
审查员	<u>enlarge</u>	shěncháy
授权公告	enlarge	shòuquán




English

abstract

applicant

application number



Děkuji Vám za pozornost.



